Hydrobiologia

The International Journal on Limnology and Marine Sciences

Contents

Volume 386

Opinion

On a limnology textbook in French
by H.L. Golterman & H.J. Dumont 1–8

Diet of Arctic charr (*Salvelinus alpinus* (L.)) and brown trout (*Salmo trutta* L.) in sympatry in two high altitude alpine lakes
by L. Cavalli, R. Chappaz & A. Gilles 9–17

Invertebrate drift and benthic community dynamics in a lowland neotropical stream, Costa Rica
by A. Ramírez & C.M. Pringle 19–26

Studies on the salinity and desiccation tolerances of *Helice tridens* and *Helice japonica* (Decapoda: Grapsidae)
by K. Omori, B. Irawan & Y. Kikutani 27–36

Concentrations of nitrogen in sandy sediments of a eutrophic estuarine lagoon
by M. Yamamuro & I. Koike 37–44

Relationships between bacterial productivity and organic carbon at a soil–stream interface
by W.V. Sobczak, L.O. Hedin & M.J. Klug 45–53

The typology of floodplain water bodies of the Middle Danube (Slovakia) on the basis of the superficial polychaete and oligochaete fauna
by F. Šporka 55–62

A revision of the genus *Camptocercus* (Anomopoda, Chydoridae, Aloninae)
by N.N. Smirnov 63–83

Canonical variables of aquatic bryophyte combinations for predicting water trophic level
by A. Vanderpoorten & R. Palm 85–93

Seasonal abundance and depth distribution of *Blennius fluviatilis* and introduced *Lepomis gibbosus*, in Lake Banyoles (Catalonia, Spain)
by A. Vila-Gispert & R. Moreno-Amich 95–101

Metal exposures to native populations of the caddisfly *Hydropsyche* (Trichoptera: Hydropsychidae) determined from cytosolic and whole body metal concentrations
by D.J. Cain & S.N. Luoma 103–117

Ecology of the rampant weed *Nymphaea lotus* L. Willdenow in natural and ricefield habitats of the Nile delta, Egypt
by A.H.A. Khedr & A.K. Hegazy 119–129

Hydrobiology of the Marennes-Oléron bay. Seasonal indices and analysis of trends from 1978 to 1995
by P. Soletchnik, N. Faury, D. Razet, P. Goulletquer 131–146

Litter in a first-order stream of a temperate deciduous forest (Margaraça Forest, central Portugal)
by M. Abelho & M.A.S. Graça 147–152

Marine Rotifera from a sandy beach at Disko Island, West Greenland, with the description of *Encentrum porsildi* n. sp. and *Notholca angakkoq* n. sp.
by M.V. Sørensen 153–165
Abundance and distribution of *Neomysis mercedis* and a major predator, longfin smelt (*Spirinchus thaleichthys*) in Lake Washington
by P. Chigbu, T.H. Sibley & D.A. Beauchamp 167–182
Rotifera, Cladocera, Copepoda, and Ostracoda from coastal wetlands in northeast Algeria
by B. Samraoui, H. Segers, S. Maas, D. Baribwegure & H.J. Dumont 183–193
Habitat integrity of running waters – assessment criteria and their biological relevance
by S. Muhar & M. Jungwirth 195–202
Impact of turbulence and turbidity on the grazing rate of the rotifer *Brachionus calyciflorus* (Pallas)
by A. Miquelis, C. Rougier & R. Pourriot 203–211

Author Index 213